



SPECIFICATION FOR DRIZIT® MAINTENANCE SPILL KIT 90

HAZARDOUS WASTE		0370/SK90/BIN
	Container Size	50 x 50 x 32 cm
	Container Volume	90 litres
	Container Colour	Yellow
	Pack Wt (gross)	11.5 kg
	Sorbency	44 - 73 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using water. Higher figure based on high viscosity liquid with no drain

Container: Yellow Polyethylene container with robust clips to secure the lid

Contents: 50 Maintenance Pads Maintenance

11 Socks 125 x 7.5 cm Maintenance

1 Roll of Hazard Tape5 disposal bags and ties

Instructions for use: It is important that a suitable and sufficient Risk Assessment is carried out on each incident

and correct PPE is worn.

Depending on the nature of the spill a combination of the contents of the kit may be used.

Compatibility: The absorbents within this kit may be safely used with all aqueous solutions and liquids

immiscible with water, such as hydrocarbons, solvents, mineral oils, with the exception of

strong oxidising agents.

Before any use in a spill situation a proper risk assessment should be carried out and all

hazardous properties of the liquid or dangerous reactions taken into account.

Disposal: Used sorbents may be disposed of by landfill or incineration, in accordance with local and

national regulations, taking into account the classification of the liquid absorbed.

Safety Data: Further technical advice is available if required.

Note: All weights, dimensions, and other figures quoted are approximate.

Revision Date: 31/07/23



