

SPECIFICATION FOR DRIZIT® OIL SPILL KIT 130



	0170/kit130
Container Size	85 x 50 x 75 cm
Container Volume	130 litres
Container Colour	Yellow
Pack Wt (gross)	22.9 kg
Sorbency	149 - 179 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using SAE10W40 motor oil. Higher figure based on high viscosity liquid with no drain

Container: UV stabilised, chemical resistant PE bunker with angled lid and forklift access. Large opening for easy access to contents.

Contents:

75	Oil Pads
3	Oil Cushions
10	Oil Socks 125 x 7.5 cm
2	Oil Socks 300 x 7.5 cm
1	Dammit® X Ready Mix 800g
1	Pair of Gloves
4	Disposal bags and ties

Replenishment: A full refill kit is available for this product. Please use code 0170/kit130/R. To order further kits, refill sets or packs of individual items please contact us.

Instructions for use: It is important that a suitable and sufficient Risk Assessment is carried out on each incident and correct PPE is worn. Depending on the nature of the spill a combination of the contents of the kit may be used.

Compatibility: The absorbents within this kit may be safely used with all liquids immiscible with water, such as hydrocarbons, solvents, mineral oils. Water-repellency exceeds requirements of BS 7959-2:2000. Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.

Disposal: Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.

Safety Data: Further technical advice is available if required.

Note: All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018