

SPECIFICATION FOR DRIZIT® OIL SPILL KIT 400



	0170/kit400
Container Size	120 x 60 x 79 cm
Container Volume	400 litres
Container Colour	Yellow
Pack Wt (gross)	51.4 kg
Sorbency	437 - 538 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using SAE10W40 motor oil. Higher figure based on high viscosity liquid with no drain

Container: UV stabilised, chemical resistant PE bunker with forklift access.
Large opening for easy access to contents.

Contents:

- 200 Oil Pads
- 1 Oil Mini Roll
- 10 Oil Cushions
- 10 Oil Socks 125 x 7.5 cm
- 5 Oil Socks 300 x 7.5 cm
- 1 Dammit® X Ready Mix 800g
- 1 Dammit® X Mat 65 x 45 cm
- 3 Disposal bags and ties

Replenishment: A full refill kit is available for this product. Please use code 0170/kit400/R.
To order further kits, refill sets or packs of individual items please contact us.

Instructions for use: It is important that a suitable and sufficient Risk Assessment is carried out on each incident and correct PPE is worn.
Depending on the nature of the spill a combination of the contents of the kit may be used.

Compatibility: The absorbents within this kit may be safely used with all liquids immiscible with water, such as hydrocarbons, solvents, mineral oils.
Water-repellency exceeds requirements of BS 7959-2:2000.
Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.

Disposal: Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.

Revision Date: 06/11/2018

Safety Data: Further technical advice is available if required.

Note: All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018