



SPECIFICATION FOR DRIZIT® OIL SPILL KIT 660



	0174/9
Container Size	127 x 78 x 125 cm
Container Volume	660 litres
Container Colour	Blue
Pack Wt (gross)	86.7 kg
Sorbency	549 - 630 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using SAE10W40 motor oil. Higher figure based on high viscosity liquid with no drain

Container: Heavy duty, UV stabilised highly visible, water proof container with four wheels.

Fully opening lid allows for ease of access to contents.

Contents: 100 Oil Pads

12 Oil Socks 125 x 7.5 cm 2 Oil Booms 400 x 20 cm

12 Oil Cushions1 Oil Loose 4kg

Dammit® X Mat 65 x 45 cm
Dammit® X Ready Mix 800g

2 Wooden Stakes

12 Disposal bags and ties

Replenishment: A full refill kit is available for this product. Please use code 0174/9/R.

To order further kits, refill sets or packs of individual items please contact us.

Instructions for use: It is important that a suitable and sufficient Risk Assessment is carried out on each incident

and correct PPE is worn.

Depending on the nature of the spill a combination of the contents of the kit may be used.

Compatibility: The absorbents within this kit may be safely used with all liquids immiscible with water, such

as hydrocarbons, solvents, mineral oils.

Water-repellency exceeds requirements of BS 7959-2:2000.

Before any use in a spill situation a proper risk assessment should be carried out and all

hazardous properties of the liquid or dangerous reactions taken into account.

Disposal: Used sorbents may be disposed of by landfill or incineration, in accordance with local and

national regulations, taking into account the classification of the liquid absorbed.

Revision Date: 06/11/2018









Safety Data: Further technical advice is available if required.

Note: All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018



