

## SPECIFICATION FOR DRIZIT® OIL VEHICLE SPILL KIT 2



	0170/VEH/2
Container Size	40 x 58 x 45 cm
Container Volume	70 Litres
Container Colour	Black
Pack Wt (gross)	10.4 kg
Sorbency	60 - 71 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using SAE10W40 motor oil. Higher figure based on high viscosity liquid with no drain

Container:	Medium density polyethylene in black. Lockable handle with two keys.	
Contents:	<ul> <li>25 Oil Pads</li> <li>4 Oil Socks 125 x 7.5 cm</li> <li>2 Oil Cushions</li> <li>1 Dammit<sup>®</sup> X Ready Mix Slab</li> <li>1 Pair Gloves</li> <li>1 Disposal bag and tie</li> </ul>	
Replenishment:	A full refill kit is available for this product. Please use code 0170/VEH/2/R. To order further kits, refill sets or packs of individual items please contact us.	
Instructions for use:	It is important that a suitable and sufficient Risk Assessment is carried out on each incident and correct PPE is worn. Depending on the nature of the spill a combination of the contents of the kit may be used.	
Compatibility:	The absorbents within this kit may be safely used with all liquids immiscible with water, such as hydrocarbons, solvents, mineral oils. Water-repellency exceeds requirements of BS 7959-2:2000. Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.	
Disposal:	Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.	
Safety Data: Note:	Further technical advice is available if required. All weights, dimensions, and other figures quoted are approximate.	

Revision Date: 06/11/2018



